

Data Product Specification of PANSA Obstacle Data Sets



Version:	1.0
This version	https://www.ais.pansa.pl/en/publications/obstacle-data-sets/
Latest version	NIL
Published	2022-01-27
Language	English
Extent of the data product	<ol style="list-style-type: none">1. Area 1 Obstacle Data Set: FIR EPWW;2. Area 2 Obstacle Data Sets: Penetrations of the aerodrome Obstacle Limitation Surfaces (OLS) of the following aerodromes: EPBY, EPGD, EPKK, EPKT, EPLB, EPLL, EPMO, EPPO, EPRA, EPRZ, EPSC, EPSY.
Topic category	Transportation
Keywords	Obstacles

Overview of the data product

The Polish Obstacle Data Set is not a full data set as it contains only the Area 1 Obstacle data set and Area 2 data sets of obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS) for the following aerodromes: EPBY, EPGD, EPKK, EPKT, EPLB, EPLL, EPMO, EPPO, EPRA, EPRZ, EPSC, EPSY. It is not a full initial data set.

The descriptions and requirements of the Areas 1, 2 (a-d), 3 and 4 obstacles can be found in ICAO Annex 15, 16th Edition and PANS-AIM (Doc 10066), 1st Edition as well as in EUROCONTROL TOD Manual, Edition 3.0.

Area 1 and Area 2 data sets of obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS) are collected and published according to ICAO Annex 15, 16th Edition requirements.

Obstacle data is not provided for Areas: 2a, 2b, 2c, 2d, Area 3 and Area 4.

History of changes to the DPS


Version	Date	Reason for change	Changed sections
1.0	2022-01-27	Creation of document	All

Content

1. Specification scope	4
2. Data product Identification	4
3. Data content and structure	5
4. Reference system	5
5. Data quality requirements.....	5
6. Data capture.....	7
7. Data maintenance	7
8. Data portrayal.....	8
9. Data product delivery	8
10. Metadata.....	8
11. Additional information	8
Appendix 1. PANSA Obstacle Data Sets available attributes.....	9

1. Specification scope	
Title	PANSA Obstacle Data Sets for Area 1 (FIR EPWW) and Area 2 data sets of obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS)
This version	https://www.ais.pansa.pl/en/publications/obstacle-data-sets/
Latest version	NIL
Published	2022-01-27
Updated	In accordance with AIRAC cycle
Language	English
Contact	Aeronautical Information Service 02-147 Warszawa, ul. Wieżowa 8 AIS HQ: +48-22-574-5625, fax: +48-22-574-5619 e-mail: ais.poland@pansa.pl
Web location	https://ais.pansa.pl
Format	AIXM 5.1
Maintenance	The data product specification is updated regularly and reviewed at least once every year.
Handling restrictions	Unrestricted
Terms and definitions	See ICAO Annex 15, 16th Edition and PANS-AIM (Doc 10066), 1st Edition
Abbreviations	Electronic Terrain and Obstacle Data For additional abbreviations, see ICAO Annex 15, 16th Edition and PANS-AIM (Doc 10066), 1st Edition
2. Data product Identification	
Official title	PANSA Obstacle Data Sets for Area 1 and Area 2. Area 2 data sets contain only obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS); These are not full initial data sets.
ID	EP_OBS_DS_FULL_%AIRAC_DATE%_AIRAC.xml EP_OBS_DS_UPD_DELTA_%AIRAC_DATE%_AIRAC.xml
Abstract	Obstacle data set for Area 1. Area 2 data sets of obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS); these are not full initial data sets. Area 1 and Area 2 data sets of obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS) are collected and published according to ICAO Annex 15, 16th Edition requirements. Obstacle data is not provided for Area 2a, 2b, 2c, 2d, Area 3 and Area 4.
Purpose	The purpose of the data product is to provide obstacle data for air navigation applications. ICAO PANS-AIM, Chapter 5.3.3.2 provides possible uses of the data. It is the responsibility of the users to determine if the data product meets their needs.
Topic category	Transportation
Keywords	Vector
Spatial representation	Points
Spatial resolution	Not applicable

Supplemental information	<i>NIL</i>
Restrictions	<p>Use limitations: For aviation operational use only.</p> <p>Access restrictions: For subscribers only, order form available under link: https://www.ais.pansa.pl/form/order/orderform_en.htm</p> <p>Usage restrictions: Please see disclaimer: https://www.ais.pansa.pl/en/about-ais/disclaimer</p> <p>Legal protection of AIS publications: https://www.ais.pansa.pl/en/publications/legal-protection-of-ais-publications</p> <p>Security restrictions: After downloading the data, please check attached CRC32 and MD5 checksums.</p>

Extent	<p>FIR EPWW: Area 2 data sets of obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS) of the following aerodromes: EPBY, EPGD, EPKK, EPKT, EPLB, EPLL, EPMO, EPPO, EPRA, EPRZ, EPSC, EPSY.</p> 
--------	--

3. Data content and structure

Application schema	https://aixm.aero/
Feature catalogue	See Appendix 1

4. Reference system

General scope

Spatial reference system	Horizontal system: WGS-84 (EPSG: 4326). Vertical system: Kronstadt-86
Temporal reference system	Gregorian Calendar, UTC.

5. Data quality requirements

General scope

Requirement 1	<p>Data quality element: Assurance (Integrity).</p> <p>Data quality measure: The horizontal and vertical position integrity are classified as “essential”. The procedures for processing obstacles have been setup to meet the integrity requirements.</p>
Requirement 2	Data quality element: Traceability

	Data quality measure: All actions over the obstacle objects are traced and saved in the metadata. Metadata is available on request.
Requirement 3	Data quality element: Timeliness Data quality measure: Timeliness is assured by providing the start and end time position of all obstacles.
Requirement 4	Data quality element: Completeness Data quality measure: The content of the data set was checked by visual inspection.
Area 1	
Requirement 1	Data quality element: Horizontal accuracy Data quality measure: The horizontal accuracy is 50 m at 90% confidence level.
Requirement 2	Data quality element: Vertical accuracy Data quality measure: The vertical accuracy is 30 m at 90% confidence level.
Requirement 3	Data quality element: Horizontal position resolution Data quality measure: The horizontal position resolution is expressed in degrees, minutes, seconds and decimal seconds with 2 decimal places (DDMMSS.ss), commensurate with the accuracy requirements. The resolution is sufficient to guarantee the accuracy requirements.
Requirement 4	Data quality element: Vertical position resolution Data quality measure: The vertical position resolution is 0.01 ft, commensurate with the accuracy requirements. The resolution is sufficient to guarantee the accuracy requirements.
Area 2 data sets of obstacles penetrating the aerodrome Obstacle Limitation Surfaces (OLS)	
Requirement 1	Data quality element: Horizontal accuracy Data quality measure: The horizontal accuracy is 5 m at 90% confidence level.
Requirement 2	Data quality element: Vertical accuracy Data quality measure: The vertical accuracy is 3 m at 90% confidence level.
Requirement 3	Data quality element: Horizontal position resolution Data quality measure: The horizontal position resolution is expressed in degrees, minutes, seconds and decimal seconds with 2 decimal places (DDMMSS.ss), commensurate with the accuracy requirements. The resolution is sufficient to guarantee the accuracy requirements.
Requirement 4	Data quality element: Vertical position resolution

	Data quality measure: The vertical position resolution is 0.01 ft, commensurate with the accuracy requirements. The resolution is sufficient to guarantee the accuracy requirements.
Area 3	
No data available	
Area 4	
No data available	
6. Data capture	
Description	<p>Obstacle data capture rules are based on:</p> <ul style="list-style-type: none"> - Commission Implementing Regulation (EU) 2020/469 - Regulation of the Minister of Infrastructure of 12 January 2021 on aviation obstacles, obstacle limiting surfaces and hazardous devices (Journal of Laws of the Republic of Poland 2021 item 264) - EUROCONTROL Terrain and Obstacle Data Manual v. 3.0, edition date: 04/05/2021, document reference: EUROCONTROL-GUID-158 - EUROCONTROL Specification for the Origination of Aeronautical Data (DO) - Volume 1 - EUROCONTROL Specification for the Origination of Aeronautical Data (DO) - Volume 2 <p>Obstacle coverage areas have been created according to ICAO Annex 15, 16th Edition and PANS-AIM, 1st Edition.</p>
Guide	NIL
Inclusion criteria	<p>Obstacles must have a minimal height of 100 m above ground level to be included in the Area 1 obstacle dataset.</p> <p>Obstacles must penetrate the aerodrome Obstacle Limitation Surfaces (OLS) to be included in the Area 2 data sets.</p>
Data acquisition and processing	The data was captured and processed by terrestrial survey.
7. Data maintenance	
General scope	
Description	<p>The data set will be updated every AIRAC cycle.</p> <p>Changes between AIRAC dates will be delivered in AIXM 5.1 PERMDELTA .xml file.</p>
Frequency	Continually
User defined	Not applicable

8. Data portrayal	
Portrayal rules	<i>Not applicable</i>
9. Data product delivery	
General scope	
Format name	Aeronautical Information Exchange Model
Format version	5.1
Format specification	https://aixm.aero/
File structure	http://www.aixm.aero/schema/5.1/AIXM_Features.xsd
Language	English
Character set	UTF-8
10. Metadata	
Specification	<p>The metadata is included in the data set as described in Commission implementing regulation (EU) 2020/469 AIS.TR.340. The following metadata is provided:</p> <ul style="list-style-type: none"> • name of the organisations or entities providing the data set; • the date and time when the data set was provided; • the validity of the data set; and • any limitations on the use of the data set.
Encoding	<p>Title: ISO 19139:2007, Geographic information – Metadata – XML schema implementation</p> <p>Date: 2007</p>
11. Additional information	
General scope	
Additional information	Not applicable

Appendix 1. PANSA Obstacle Data Sets available attributes

Feature
Latitude
Longitude
Height
Height Uom
Elevation
Elevation Uom
Vertical Accuracy
Vertical Accuracy Uom
Horizontal Accuracy
Horizontal Accuracy Uom
Obstacle Identifier
Location
Local language obstacle type
Lighting
Horizontal reference system
Marking
Obstacle type
Data originator identifier
Horizontal confidence level
Horizontal confidence level UOM
Horizontal resolution
Horizontal resolution UOM
Horizontal extent
Horizontal extent Uom
Vertical confidence level
Vertical confidence level UOM
Vertical resolution
Vertical resolution UOM
Geometry type
Integrity
Elevation reference