

STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO


TRANSITION ALTITUDE 6500

LODZ DELIVERY	120.005
LODZ TOWER	124.230
ATIS	135.680

AGAVA 1Q LOZ 1N LOZ 1S VIDEV 1Q

L6dZ
RNP RWY 25

Correction: New chart.



**STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO**

Łódź
RNP RWY 25
AGAVA 1Q LOZ 1N LOZ 1S VIDEV 1Q

AGAVA 1Q

PDG 9% REQUIRED UNTIL LL406

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LL406	Y	245 (250.6)	1.97	-	-135	RNP 1
002	DF	LL407	-	-	-	+3000 ft	-	RNP 1
003	TF	LL528	-	074 (079.6)	8.05	-	-	RNP 1
004	TF	AGAVA	-	113 (119.1)	13.59	-FL100 +FL80	-	RNP 1

LOZ 1N

PDG 9% REQUIRED UNTIL LL601

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LL601	-	245 (250.6)	3.97	+2600 ft	-	RNP 1
002	TF	LL602	-	335 (340.6)	5.00	-	-	RNP 1
003	TF	LL606	-	065 (070.5)	4.00	+4000 ft	-	RNP 1
004	TF	LL526	-	056 (061.9)	10.2	-	-	RNP 1
005	TF	LL524	-	065 (070.8)	4.00	-	-	RNP 1
006	TF	LL522	-	155 (160.9)	6.25	-	-	RNP 1
007	TF	LOZ	-	245 (250.9)	4.00	-	-	RNP 1

LOZ 1S

PDG 9% REQUIRED UNTIL LL406

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LL406	Y	245 (250.6)	1.97	-	-135	RNP 1
002	DF	LL407	-	-	-	+3000 ft	-	RNP 1
003	TF	LL528	-	074 (079.6)	8.05	-	-	RNP 1
004	TF	LOZ	-	346 (352.2)	5.10	-	-	RNP 1

VIDEV 1Q

PDG 9% REQUIRED UNTIL LL528

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	LL406	Y	245 (250.6)	1.97	-	-135	RNP 1
002	DF	LL407	-	-	-	+3000 ft	-	RNP 1
003	TF	LL528	-	074 (079.6)	8.05	-	-	RNP 1
004	TF	VIDEV	-	144 (149.7)	11.82	+FL100	-	RNP 1

WAYPOINT IDENTIFIER	COORDINATES	
AGAVA	51 34 53.1	019 57 38.7
DER25	51 42 57.8	019 22 16.9
LL406	51 42 18.6	019 19 17.9
LL407	51 40 05.0	019 25 52.7
LL522	51 47 52.5	019 43 34.5
LL524	51 53 46.4	019 40 16.5
LL526	51 52 27.7	019 34 10.6
LL528	51 41 31.2	019 38 36.6
LL601	51 41 38.7	019 16 16.0
LL602	51 46 21.3	019 13 35.2
LL606	51 47 41.1	019 19 39.6
LOZ	51 46 33.9	019 37 29.3
VIDEV	51 31 19.4	019 48 09.1